


HE

Svetstråds- guide



2017-06

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Golv 2016 25905 xxx	25905014	1287254		S 4000-N	33,89	0,59
	25905142	1287415		S 2005-Y40R	54,66	0,77
	25905151	1287529		S 8000-N	8,41	0,2
	25905152	1287817		S 8005-Y20R	8,15	0,2
	25905132	1287381		S 6502-B	15,11	0,33
	25905134	1287429		S 7502-R	10,47	0,25
	25905146	1287457		S 5000-N	25,91	0,49
	25905031	1287708		S 7502-R	10,47	0,25
	25905035	1287819		S 8500-N	6,34	0,16
	25905038	1287481		S 8500-N	6,34	0,16
	25905147	1292771		S 3500-N	39,02	0,64
	25905153	1287680		S 7010-Y30R	11,52	0,27
	25905136	1287533		S 5502-Y	21,62	0,43
	25905135	1292770		S 2002-Y	55,99	0,78
	25905137	1287818		S 7005-Y50R	12,59	0,29
	25905156	1287375		S 7502-B	10,07	0,24
	25905157	1287680		S 7010-Y30R	11,52	0,27
	25905158	1287677		S 6010-B30G	16,2	0,35
	25905154	1291609		S 4502-Y	28,93	0,53
	25905159	1287820*		S 8005-Y50R	7,83	0,19
25905155	1287429		S 7500-N	11,23	0,26	

*Ship deck: för en snyggare lösning vid inner och/eller ytterhörn,
använd brun svetstråd nr. 1287663

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Designgolv 3m 2016 25906 xxx	24554001	1287532		S 3502-Y	38,15	0,63
	24554002	1294727		S 5500-N	22,2	0,44
	24554006	1287457		S 4502-Y	28,93	0,53
	24554007	1287647		S 6502-B	15,11	0,33
	24554009	1287693		S 6502-Y	15,83	0,34
	24554003	1291609*		S 1002-Y	72,05	0,88
	24554010	1287374		S 3502-Y	38,15	0,63
	24554008	1287235		S 5010-B50G	22,77	0,45

*Square: Svetstråd 1291609 är vit. Önskas en svart tråd rekommenderar vi 1287755

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Vägg 2016 25903 xxx	25903125	1292455		S 2500-N	50,18	0,74
	25903109	1287529		S 8000-N	8,41	0,2
	25903126	1291810		S 2005-Y30R	55,66	0,78
	25903114	1288123		S 1002-Y50R	73,64	0,89
	25903034	1287486		S 0502-Y	85,71	0,94
	25903037	1287273		S 0500-N	85,95	0,94
	25903101	1287446		S 2000-N	57,13	0,79
	25903127	1287488		S 0804-Y30R	78,04	0,91
	25903128	1287411		S 1000-N	74,33	0,89
	25903129	1292457		S 4500-N	29,52	0,54
	25903130	1287815		S 1502-B50G	64,2	0,83
	25903131	1287816		S 4500-N	29,52	0,54
	25903070	1290011		S 0502-Y	85,71	0,94
	25903121	1290011		S 0502-Y	85,71	0,94
	25903122	1290011		S 0502-Y	85,71	0,94
	25903136	1287382		S 4502-Y	28,93	0,53
	25903135	1291609		S 1502-Y	64,66	0,84
	25903137	1290011		S 0502-Y	85,71	0,94
	25903138	1290011		S 0502-Y	85,71	0,94
	25903132	1292801		S 1000-N	74,33	0,89
	25903139	1290011		S 0502-Y	85,71	0,94
	25903140	1290011		S 0502-Y	85,71	0,94
	25903141	1292801		S 1000-N	74,33	0,89
	25903142	1287488		S 0804-Y30R	78,04	0,91
	25903143	1290011		S 0502-Y	85,71	0,94
	25903144	1290011		S 0502-Y	85,71	0,94
	25903145	1290011		S 0502-Y	85,71	0,94
	25903146	1290011		S 0502-Y	85,71	0,94
	25903133	1288123		S 1500-N	65,17	0,84
	25903134	1287273		S 1005-Y30R	70,43	0,87

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Aquarelle Bård 2016 25906 xxx	25906034	1287486		S 0502-Y	85,71	0,94
	25906037	1287273		S 0500-N	85,95	0,94
	25906133	1290011		S 0502-Y	85,71	0,94
	25906134	1290011		S 0502-Y	85,71	0,94
	25906135	1290011		S 0502-Y	85,71	0,94
	25906136	1290011		S 0502-Y	85,71	0,94
	25906137	1290011		S 0502-Y	85,71	0,94
	25906138	1290011		S 0502-Y	85,71	0,94
	25906139	1290011		S 0502-Y	85,71	0,94
	25906132	1291609		S 1502-Y	64,66	0,84
	25906140	1290011		S 0502-Y	85,71	0,94
	25906141	1290011		S 0502-Y	85,71	0,94
	25906142	1290011		S 0502-Y	85,71	0,94

Produkt	Art.nr.	Svetstråd	FF*	NCS nr	YI	v
Nordic Stabil 3532 xxx	026	1 287 069		S2005-Y40R	54,66	0,77
	044	1 287 451		S4030-Y30R	25,61	0,49
	027	1 287 492		S6010-Y50R	15,99	0,35
	028	1 287 153		S3020-Y30R	37,38	0,62
	029	1 287 153		S3030-Y20R	34,58	0,6
	030	1 287 497		S5005-Y20R	25,32	0,49
	031	1 287 762		S3010-Y20R	40,78	0,66
	022	1 287 314		S8000-N/S1002-Y50R	8,41	0,2
	032	1 287 333		S6005-Y80R	17,9	0,38
	033	1 287 427		S2005-Y30R	55,66	0,78
	034	1 287 069		S2005-Y40R	54,66	0,77
	035	1 287 333		S6005-Y80R	17,9	0,38
	036	1 287 060		S2005-Y40R	54,66	0,77
	037	1 292 455		S2002-Y	55,99	0,78
	038	1 291 821		S2005-Y40R	54,66	0,77
	039	1 287 069		S1505-Y30R	64,02	0,83
	040	1 287 546		S6005-Y50R	18,06	0,38
	041	1 287 333		S6005-Y80R	17,9	0,38
	042	1 287 530		S3005-Y50R	40,42	0,65
	043	1 287 290		S2005-Y50R	53,7	0,76